

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	797	(@AD<"20030731" or @RLAD<"20030731") and (duplicat\$3 or redundant or backup or standby) adj ((terminal or device or apparatus or equipment) and (server or controller or manager or process\$3 or monitor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 08:07
L2	48426	(@AD<"20030731" or @RLAD<"20030731") and (error or fault) near3 (tolerant or detection or monitor\$3).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 08:58
L3	617	(@AD<"20030731" or @RLAD<"20030731") and automatic\$4 with (fail or switch\$3) adj over with (fault or faulty or error or fail\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 10:34
L4	49730	1 or 2 or 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 08:36
L5	0	4 and ((transmit\$4 or send\$4 or deliver\$3 or receiv\$3) adj10 (terminal or device or processor or node or computer) near5 (health or connection or operat\$3 or working or availability) adj3 (state or data or information or status, or condition)) adj10 (each or every or all or plurality or second) adj3 (terminal or device or processor or node or computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 08:43
L6	4	4 and ((transmit\$4 or send\$4 or deliver\$3 or receiv\$3) near10 (health or connection or operat\$3 or working or availability) adj3 (state or data or information or status or condition)) adj10 (each or every or all or plurality or second) adj3 (terminal or device or processor or node or computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 09:55
L7	4	4 and ((transmit\$4 or send\$4 or deliver\$3 or receiv\$3) near10 (health or connection or operat\$3 or working or availability) adj3 (state or data or information or status or condition)) adj10 (each or every or all or plurality or second) adj3 (terminal or device or processor or node or computer or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 08:59

EAST Search History

L8	145997	(@AD<"20030731" or @RLAD<"20030731") and (fail\$3 or error or fault) near3 (tolerant or detection or monitor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 08:58
L9	166	8 and ((collect\$3 or broadcast or transmit\$4 or send\$4 or deliver\$3 or receiv\$3) near10 (health or connection or operat\$3 or working or availability or cascaded or collect\$3) adj3 (state or data or information or status or condition)) adj10 (each or every or all or plurality or second) adj3 (terminal or device or processor or node or computer or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 09:55
L10	2	9 and ((collect\$3 or broadcast) near10 (cascaded or collected) adj3 (state or data or information or status or condition)) with (each or every or all or plurality or second) adj3 (terminal or device or processor or node or computer or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 09:57
L11	2	9 and ((collect\$3 or broadcast) near10 (cascaded or collected or gathered) adj3 (state or data or information or status or condition)) with (each or every or all or plurality or second) adj3 (terminal or device or processor or node or computer or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 10:07
L12	74	((collect\$3 or broadcast) near10 (cascaded or collected or gathered) adj3 (state or data or information or status or condition)) with (each or every or all or plurality or second) adj3 (terminal or device or processor or node or computer or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 10:08
L13	112	((send\$3 or transmit\$4 or transfer\$4 or broadcast) near10 (cascaded or collected or gathered) adj3 (state or data or information or status or condition)) with (each or every or all or plurality or second) adj3 (terminal or device or processor or node or computer or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 10:10

EAST Search History

L14	1	13 and ((send\$3 or transmit\$4 or transfer\$4 or broadcast) near10 (cascaded or collected or gathered) adj3 (state or data or information or status or condition)) with back adj5 (each or every or all or plurality or second) adj3 (terminal or device or processor or node or computer or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 10:11
L15	1	13 and ((send\$3 or transmit\$4 or transfer\$4 or broadcast) near10 (cascaded or collected or gathered) adj3 (state or data or information or status or condition)) with back adj5 (each or every or all or plurality or second) adj3 (source or terminal or device or processor or node or computer or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 10:17
L16	126	((return\$3 or send\$3 or transmit\$4 or transfer\$4 or broadcast or propagat\$3) near10 (cascaded or collected or gathered) adj3 (state or data or information or status or condition)) with (each or every or all or plurality or second) adj3 (source or terminal or device or processor or node or computer or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 10:33
L17	15	((return\$3 or broadcast or propagat\$3) near10 (cascaded or collected or gathered) adj3 (state or data or information or status or condition)) with (each or every or all or plurality or second) adj3 (source or terminal or device or processor or node or computer or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 10:33
L18	10	(@AD<"20030731" or @RLAD<"20030731") and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 10:34